AirGPS II QUICK CHART

SETUP

STEP 1

Download Cateye Cycling app.

Cateye Cycling

Download on the App Store

STEP 2

Long press

Power on AirGPS II.
Open the app and press [Start] to begin pairing.

Press

STEP 3

Press

Pairing...

After AirGPS II is detected, press [Pairing].

STEP 4

OFF

After completion of pairing, turn [Connect] off.

RECORD YOUR RIDE

STEP 1

Power on.

Long press

STEP 2

Get GPS signal.

No GPS signal received

↓

GPS signal received

Wait outside for about 1-2 min.

STEP 3

Start recording.

Press POWER or MODE button.

MODE

Press MODE:

Changes bottom row data.

Long press MODE:

Pauses/resumes recording.

STEP 4

Power off to end recording.

Ride data will be automatically saved.

Long press

IMPORT RIDE DATA

STEP 1

Power on.

Long press

STEP 2

Open Cateye Cycling app and turn [Connect] on.

ON

STEP 3

Press [Device] > [AirGPS II] > [📲 Import from CC].
Select activity you want to import and then press 📲 .

Press

Press

Press

STEP 4

After completion of import, turn [Connect] off.

OFF

VIEW RIDE DATA

Select activity.

Activity

Press

Press

Press

Map

Swipe

Summary

Swipe

Graph

UPLOAD TO WEBSITES

Press [Activity] and then ☑.
Select activity you want to upload and press ⬆.

Press

Press

Press

STRAVA™

TRAINING PEAKS™

CHANGE SETTINGS

1) Open Cateye Cycling™ app.
2) Press [●●● Other] > [Device] > [AirGPS II]
3) Turn [Connect] off after you finish setting change.

Press

Press

Other

Press

OFF

Settable Items
- Trip distance 2 reset
- Total distance
- Backlight (Night mode)
- Display customization
- Data auto delete
- GLONASS
- Sensor selection (when sensor is paired)
- Recording interval
- Firmware

USE WITH SENSORS

Pair sensors with your AirGPS II through app.

Through Cateye Cycling™ app, CATEYE brand sensors can be paired with your AirGPS II and tire circumference can be set.

| ISC-12 | SPD-30 | CDC-30 | HR-12 | OHR-31 |

Please read the **instruction manual** for more details.